

Dividers

Part No.	BW(MHz)	Freq. (MHz)	I/L (dB)	Iso. (dB)	Phase Diff.	Amplitude Diff.	*Solder	*PKG	Impedance		
BD09B	700-1000 Cellular, GSM900	750	0.49	20.20	0.50	Deg	0.02	dB	with	SOIC8	50 Ohm
		850	0.49	28.30	0.50		0.02				
		950	0.58	20.10	0.60		0.03				
		750	0.50	20.60	0.20	Deg	0.01	dB	without		
		850	0.52	27.00	0.20		0.01				
		950	0.59	19.50	0.40		0.01				
BD0926	700-1000 Cellular, GSM900	750	0.55	22.00	0.20	Deg	0.01	dB	without	SOT26	50 Ohm
		850	0.57	31.40	0.20		0.01				
		950	0.63	19.00	0.40		0.01				
BD19B	1700-2300 PCS, WCDMA	1700	0.35	20.40	0.20	Deg	0.03	dB	with	SOIC8	50 Ohm
		1900	0.38	24.40	0.30		0.04				
		2075	0.47	30.10	0.50		0.06				
		1700	0.38	20.00	1.00	Deg	0.06	dB	without		
		1900	0.43	24.10	1.00		0.06				
		2075	0.54	25.40	0.90		0.05				
BD1926	1700-2300 PCS, WCDMA	1700	0.51	20.10	1.40	Deg	0.04	dB	without	SOT26	50 Ohm
		1900	0.55	24.80	1.50		0.07				

		2075	0.63	21.60	1.50		0.06				
BD23B	1900-2500 PCS, WCDMA, WiBro, TD-SCDMA	1900	0.38	18.70	0.10	Deg	0.03	dB	with	SOIC8	50 Ohm
		2075	0.39	21.60	0.20		0.04				
		2350	0.46	28.50	0.50		0.06				
		1900	0.36	19.20	1.70	Deg	0.07	dB	without		
		2075	0.38	22.20	1.70		0.06				
		2350	0.49	25.80	1.70		0.06				
BD2326	1900-2500 PCS, WCDMA, WiBro, TD-SCDMA	1900	0.58	23.30	0.70	Deg	0.03	dB	without	SOT26	50 Ohm
		2075	0.59	27.50	0.70		0.04				
		2350	0.69	19.50	0.60		0.06				
BD25B	1700-2500 PCS, PCS, USPCS, WCDMA, WiBro, TD-SCDMA	1800	0.38	20.80	0.20	Deg	0.07	dB	with	SOIC8	50 Ohm
		2075	0.42	25.70	0.40		0.09				
		2350	0.60	22.20	0.70		0.12				
		1800	0.41	21.10	1.50	Deg	0.08	dB	without		
		2075	0.49	26.30	1.70		0.11				
		2350	0.75	19.00	1.70		0.1				
BD2626	2400-2900 WCDMA,WiBro,LTE	2400	0.61	23.30	0.75	Deg	0.07	dB	without	SOT26	50 Ohm
		2500	0.59	25.10	0.75		0.07				
		2650	0.61	28.20	0.75		0.07				
		2800	0.66	25.80	0.75		0.09				
		2900	0.64	22.00	0.75		0.09				
BD3526	2800-4200 WCDMA,LTE&5G	2800	0.62	15.70	0.39	Deg	0.1	dB	without	SOT26	50 Ohm



		3200	0.63	23.70	0.33		0.08				
		3500	0.59	38.00	0.38		0.05				
		3800	0.63	22.40	0.60		0.05				
		4200	0.82	16.50	0.54		0.08				

